

29 October 2013

EUROPEAN COMMISSION
Health and Consumers Directorate-General

Subject: Revision of EU Commission guidelines on Good Manufacturing Practice Medicinal Products

Dear Sir or Madam,

Thank you for the opportunity to comment on the above draft guidelines. ISPE recognizes the importance of the role of the QP and hence the importance of this guideline revision.

ISPE is pleased to make both general and specific comments to the guideline as detailed in the attachments to this letter.

The International Society for Pharmaceutical Engineering (ISPE) is an individual membership Society of more than 20,000 professionals involved in the manufacture of pharmaceuticals and related products. All scientific and technical areas of the pharmaceutical manufacturing industry are represented among the ISPE Membership. ISPE is committed to creating a forum for uniting the world's pharmaceutical manufacturing community and regulators.

Yours sincerely,

President/CEO, ISPE

Mancy Gery



Proposed Regulation/Guidance Document: EU Guidelines for Good Manufacturing Practice for Medicinal Products for Human and Veterinary Use - Annex 16 - Certification by a Qualified Person and Batch Release

Comments submitted by: International Society for Pharmaceutical Engineering (ISPE)

GENERAL COMMENTS ON THE DOCUMENT

Alignment with other guidance and reflecting the reasons for changes to this Annex

The ICH Q-IWG Points to Consider document for ICH Q8/Q9/Q10 Implementation provides a harmonised overview of the elements needed for batch release. This document should be referenced in the 'principle' **section 2.2**

Document EMA/INS/MRA/387218/2011 Rev5 describes the internationally harmonised requirements for batch certification. A template is described which lists the product particulars to be mentioned on the batch certificate and the template also contains a "certification statement". This may be used also for "intermediates, bulk or partially packed products, APIs and investigational medicinal products".

Consideration should be given to aligning the content of this template with the statement in the appendix to **Annex 16.**

Alignment between Member States

When implemented in the law of a member state, the provisions described in this Annex should be maintained.

As currently written section 2.2 could be interpreted that member states may add or delete requirements.

National Legislation

Point 3.5.2 needs to be clarified as to whether it refers to the local national regulations in the country of certification or the destination countries national legislation or both.

Approach to "Equivalent"

'Equivalent' GMP is the standard recognised by health authorities and inspectorates where a Mutual Recognition Agreement (MRA) is in place or where the inspectorate is a member of the Pharmaceutical Inspection Co-operation Scheme (PIC/S).

The concept of compliance with EU GMP "or equivalent" is mentioned in 2.4.2, as a basis for certifying batches.

This contradicts **2.3.2** which states that the batch must be in compliance with EU GMP (no equivalence qualification).

The concept of standards considered to be "equivalent" to EU GMP should be defined in the **Glossary** and used consistently throughout the document.

Additional Testing on importation requirements

Concerning the import testing of batches originating from the same bulk product batch, it is stated (**in sections 3.4.8**) that QC testing from another imported finished batch originating from the same bulk may be used for certification provided that the ID and assay testing are conducted on each occasion within the EEA.

The requirement to test ID and assay on each occasion is an additional requirement which is unlikely to increase public health protection and may delay availability for patients. Furthermore, additional measures are currently being put in place to assure the quality and integrity of products on receipt in EEA e.g. EU GMP Chapter 5 – controls on supply chain traceability – section 5.27

Specific Comments on the Text ISPE indicates text proposed for deletion with strikethrough formatting and text proposed for addition with bold and underlining.

Number	Current Text	Proposed Change	Rationale and Comment
1.1	"The relevant legislative	"The relevant legislative	Include a reference to material made for human clinical trials
	requirements are contained in	requirements are contained in	for completeness (recognizing also that the Directive is
	Article 51 of Directive	Article 51 of Directive	referred in section 3.4.2).
	2001/83/EC or Article 55 of	2001/83/EC, Article 55 of Directive	
	Directive 2001/82/EC."	2001/82/EC and in Article 13.3 of	
		Directive 2001/20/EC."	
2.2	"in compliance with the laws in	with the laws <u>reflecting the</u>	When implemented in the law of a member state, the
	force in the member state"	provisions of this Annex in force	provisions described in this Annex should be maintained. As
		in the member state	currently written (e.g. in section 2.2) it could be interpreted that
			the member state may add or delete requirements.
2.2, 2.4.3,	"of the destination country"	Delete the term "destination	The term "destination country" of the medicinal product has
3.2		country" or define and use only	been introduced in Annex 16 in e.g. sections 2.2, 2.4.3, 3.2
	"e.g. of the destination	when strictly applicable.	and the template for confirmation. This term can be applied to
	country"		the finished medicinal product only and to the initial
			destination. The QP responsible for batch release will not
	"or in the destination country."		necessarily be aware of the ultimate product destination e.g. in
			the case of parallel importation and cannot be held
			accountable for ensuring compliance with local requirements
			in all cases.
			t is very difficult for any QP to know the laws in all countries
			where a pharmaceutical company may export products, This is
			especially important for QPs who release products for many
			non-EU countries. In such cases the MAH should be
			responsible and should notify the QP of the requirements in
			order that the QP can ensure the product is in compliance with
			relevant legislation/legal requirements.

ISPE | 600 N. Westshore Blvd., Suite 900 | Tampa, FL 33609 | +1-813-960-2105 | www.ispe.org

Proposed Regulation/Guidance Document: EU Guidelines for Good Manufacturing Practice for Medicinal Products for Human and Veterinary Use - Annex 16 - Certification by a Qualified Person and Batch Release Page 3 of 4

Section Number	Current Text	Proposed Change	Rationale and Comment
2.4.2.	The batch has been manufactured and checked in accordance with the principles and guidelines of EU Good Manufacturing Practice, or equivalent;	and checked in accordance with the principles and guidelines of EU Good Manufacturing Practice; or equivalent;	The word "equivalent" creates more confusion than actually helps. The authority to state that the GMP followed in a plant in a third country is EU-GMP compliant lies at the moment with EU Authorities (exception is written confirmation for APIs). In any case, if the principles followed are equivalent to EU-GMP, they are essentially EU-GMP, so, no reason for using this wording.
2.4.3.	requirements, e.g. of the destination country, are taken	Any other relevant legal	Removal of this still allows the legal requirements of the destination country to be taken into account if necessary.
7. para. 3 Glossary	Q.P. Qualified Person (QP): the		Consistency in form for acronyms is desirable. QP defined under Article 13 of 2001/20/EC
,	Directive 2001/83/EC and Article 52 of Directive 2001/82/EC.	defined in Article 48 of Directive	